



# URBINO LED S <sup>NEW</sup>



URBINI LED

URBINO LED

URBINO LED PLUS version

URBINO LED S

URBINO LED IK10

## **Your city. Only the best solutions.**

Infrastructure projects that directly improve the relationship between residents and their cities are our speciality.

Meet the new LUG infrastructure luminaires that will work perfectly in the most demanding road situations. Designing the light for cities which is just right is our passion. By implementing various lighting projects in 70 countries around the world, we have gained experience that allows us to find the optimal solution that not only meets all the required standards, but also provides adequate comfort to all road users and generate maximum savings.





URBANO LED

URBANO LED PLUS version

## URBANO LED PLUS version



## URBANO LED



## URBINO LED PLUS version



## URBINO LED IK10

bracket as an accessory



## URBINO LED



## URBINO LED S


bracket as an accessory



## URBINI LED









# URBINO LED S

NEW






A functionally optimised modern LED luminaire that complements the URBINO LED luminaire family in an environmentally responsible way with solutions for lower luminous flux.


|                             |  |
|-----------------------------|--|
| luminaire power             | 5,2 - 74 W                             |
| lumen luminaire             | 550 - 8950 lm                          |
| efficacy                    | up to 154 lm/W                         |
| operating temperature range | -40...+55°C                            |
| colour temperature          | 2200, 2700, 3000K, 4000K               |
| CRI                         | >70                                    |
| IP                          | 66                                     |
| IK                          | 10                                     |
| body                        | high pressure die-cast aluminum        |
| colour                      | gray                                   |
| montage                     | on pillar or outrigger Ø 48, 60, 76 mm |
| dimensions [W x L]          | 200x452 mm                             |
| weight                      | 3,6 kg                                 |



Urbino S  
2x Zhaga



Four types of mounting brackets to order as an accessory.



technical data



# infrastructural lighting



## TOOL-LESS MAINTENANCE

functional „click“ opening mechanism to the driver chamber

## CONSIDERABLE REDUCTION IN WEIGHT AND SIZE OF THE LUMINAIRE

significant reduction of the carbon footprint

## FUTURE-PROOF LUMINAIRE

can be equipped with Zhaga / NEMA connector

## POSSIBILITY TO EQUIP WITH A 165° ADJUSTABLE BRACKET



-20° ... +145°  
on pillar




-110° ... +55°  
on outrigger



Mounting bracket available as an accessory.

## WIDE RANGE OF LUMINAIRES

from lighting pavements, pedestrian walkways, cycle paths, housing estates, to residential roads, municipal roads and urban arteries





LUG Light Factory



[www.luglightfactory.com](http://www.luglightfactory.com)